Entarad 02/02/22 11.27.5/ Desc Main Case 21-03076-sqi Doc 289 Filed 02/03/33 Docket #0289 Date Filed: 2/3/2023 Document Paue I UI IS

IN THE UNITED STATES BANKRUPTCY COURT FOR THE NORTHERN DISTRICT OF TEXAS - DALLAS DIVISION

In re: HIGHLAND CAPITAL MANAGEMENT,	§	
L.P.	§	
Reorganized Debtor.	§ §	Chapter 11
MARC S. KIRSCHNER, AS LITIGATION	§ §	Case No. 19-34054-sgj
TRUSTEE OF THE LITIGATION SUB-TRUST,	§ §	Adv. Pro. No. 21-03076-sgj
Plaintiff,	§	
vs.	§	
JAMES D. DONDERO, et al.,	§ §	
Defendants	8	

RETURN OF SERVICE

Came to my hand on Monday, January 9, 2023 at 1:38 PM, Executed at: 1999 BRYAN STREET, STE 900, DALLAS, TX 75201 at 2:43 PM, on Monday, January 9, 2023, by delivering to the within named:

SIDLEY AUSTIN LLP

by delivering to its Registered Agent, C T CORPORATION SYSTEM, by personally delivering to its Authorized Employee, TERRI THONGSAVAT, a true copy of this

NOTICE OF ISSUANCE OF SUBPOENA TO PRODUCE DOCUMENTS, INFORMATION, OR OBJECTS OR TO PERMIT INSPECTION OF PREMISES TO SIDLEY AUSTIN LLP and EXHIBIT "A"- SUBPOENA TO PRODUCE DOCUMENTS, INFORMATION, OR OBJECTS OR TO PERMIT INSPECTION OF PREMISES IN A BANKRUPTCY CASE (OR ADVERSARY PROCEEDING) with ATTACHMENT A

having first endorsed thereon the date of the delivery.

BEFORE ME, the undersigned authority, on this day personally appeared Adil Tadli who after being duly sworn on oath states: "My name is Adil Tadli. I am a person not less than eighteen (18) years of age and I am competent to make this oath. I am a resident of the State of Texas. I have personal knowledge of the facts and statements contained herein and aver that each is true and correct. I am not a party to nor related or affiliated with any party to this suit. I have no interest in the outcome of the suit. I have never been convicted of a felony or of a misdemeanor involving moral turpitude."

By: Adil Tadli - PSC-1206 - Exp 05/31/24 served@specialdelivery.com

Subscribed and Sworn to by Adil Tadli, Before Me, the undersigned authority, on this

January, 2023.



Notary Public in and for the State of Texas



Michael Aigen
State Bar No. 24012196
Deborah Deitsch-Perez
State Bar No. 24036072
STINSON LLP
2200 Ross Ave, Suite 2900
Dallas, Texas 75201
Telephone: 214-560-2201
Michael.aigen@stinson.com
Counsel for NexPoint Advisors, L.P. and
Highland Capital Management Fund Advisors, L.P

IN THE UNITED STATES BANKRUPTCY COURT FOR THE NORTHERN DISTRICT OF TEXAS DALLAS DIVISION

In re:

HIGHLAND CAPITAL MANAGEMENT, L.P.,

Reorganized Debtor.

MARC S. KIRSCHNER, AS LITIGATION TRUSTEE OF THE LITIGATION SUB-TRUST,

Plaintiff,

٧.

JAMES D. DONDERO; MARK A. OKADA; SCOTT ELLINGTON; ISAAC LEVENTON; GRANT JAMES SCOTT III; FRANK WATERHOUSE; STRAND ADVISORS, INC.; NEXPOINT ADVISORS, L.P.; HIGHLAND CAPITAL MANAGEMENT FUND ADVISORS, L.P.; DUGABOY INVESTMENT TRUST AND NANCY DONDERO, AS TRUSTEE OF DUGABOY INVESTMENT TRUST; GET GOOD TRUST AND GRANT JAMES SCOTT III, AS TRUSTEE OF GET GOOD TRUST; HUNTER MOUNTAIN INVESTMENT TRUST; MARK & PAMELA OKADA FAMILY TRUST - EXEMPT TRUST #1 AND LAWRENCE TONOMURA AS TRUSTEE OF MARK & PAMELA OKADA FAMILY TRUST – EXEMPT TRUST #1; MARK & PAMELA OKADA FAMILY TRUST - EXEMPT TRUST #2 AND LAWRENCE TONOMURA IN HIS CAPACITY AS TRUSTEE OF MARK & PAMELA OKADA FAMILY TRUST - EXEMPT TRUST #2; CLO HOLDCO, LTD.; CHARITABLE DAF HOLDCO, LTD.; CHARITABLE DAF FUND, LP.; HIGHLAND DALLAS FOUNDATION; RAND PE FUND I, LP, SERIES I; MASSAND CAPITAL, LLC; MASSAND CAPITAL, INC.; SAS ASSET RECOVERY, LTD.; AND CPCM, LLC,

Defendants.

Chapter 11

Case No. 19-34054-sgill

Adv. Pro. No. 21-03076-sgi

Case 21-03076-sgj Doc 289 Filed 02/03/23 Entered 02/03/23 11:37:54 Desc Main Case 21-03076-sgj Doc 244 Filed 01/06/23 Entered 01/06/23 17:23:43 Desc Main Document Page 2 of 18

NOTICE OF ISSUANCE OF SUBPOENA TO PRODUCE DOCUMENTS, INFORMATION, OR OBJECTS OR TO PERMIT INSPECTION OF PREMISES TO SIDLEY AUSTIN LLP.

PLEASE TAKE NOTICE that Defendants, NexPoint Advisors, L.P. and Highland Capital Management Fund Advisors, L.P., by and through their attorneys of record, intend to serve the Subpoena attached hereto as Exhibit "A," pursuant to Rule 45 of the Federal Rules of Civil Procedure, as made applicable by Rule 9016 of the Federal Rules of Bankruptcy Procedure, on third-party, Sidley Austin LLP.

Dated: January 6, 2023

By: /s/ Michael Aigen
Michael Aigen
State Bar No. 24012196
Deborah Deitsch-Perez
State Bar No. 24036072
STINSON LLP
2200 Ross Ave, Suite 2900
Dallas, Texas 75201

Telephone: 214-560-2201 Facsimile: 214-560-2203

Email: Michael.aigen@stinson.com

Counsel for NexPoint Advisors, L.P. and Highland Capital Management Fund Advisors, L.P.

Case 21-03076-sgj Doc 289 Filed 02/03/23 Entered 02/03/23 11:37:54 Desc Main Case 21-03076-sgj Doc 244 Filed 01/06/23 Entered 01/06/23 17:23:43 Desc Main Document Page 3 of 18

CERTIFICATE OF SERVICE

I certify that on January 6, 2023, a true and correct copy of the above and foregoing document was served via electronic email through the Court's CM/ECF system to the parties that have requested or consented to such service.

/s/ Michael Aigen
Michael Aigen

Case 21-03076-sgj Doc 289 Filed 02/03/23 Entered 02/03/23 11:37:54 Desc Main Document Page 5 of 19 Filed 01/06/23 Entered 01/06/23 17:23:43 Desc Main Document Page 4 of 18

EXHIBIT "A"

Case 21-03076-sgj Doc 289 Filed 02/03/23 Entered 02/03/23 11:37:54 Desc Main Document Page 6 of 19

Document Page 6 of 19

Case 21-03076-sgi Doc 244 Filed 01/06/23 Entered 01/06/23 17:23:43 Desc Main

B2570 (Form 2570 – Subpocna to Produce Documents, Information, or Albicology of Persyllapse color in a Bankruptcy Case or Adversary Proceeding) (12/15)

	- Docum	ent Page bibli	1 10	
	UNITED STATE			
	Northern	District of Tex	cas	
n re HIGHLAND CAPITAL	MANAGEMENT, L.P.,			
	Debtor	- Case No	19-34054-sgj	
(Complete if issued i	n an adversary proceeding)			
Mark S. Kirschner, as Litiga Sub-Trust,	tion Trustee of the Litigation	Chapter _1	<u>11 </u>	
	Plaintiff			
James D. Dondero, et al.	v.	Adv. Proc.	. No21-03076-sgj	
	Defendant			
			TION, OR OBJECTS OR TO PERMIT E (OR ADVERSARY PROCEEDING)	
	(Name of per	son to whom the subp	ovena is directed)	
documents, electronically material: See Attachmen	stored information, or objects		, and place set forth below the following pection, copying, testing, or sampling of the	
Stinson LLP	_		DATE AND TIME	
2200 Ross Ave, S	te. 2900, Dailas, Texas 75201	-	February 6, 2023 at 9:00 am	
Inspection of Premises: YOU ARE COMMANDED to permit entry onto the designated premises, land, or other property possessed or controlled by you at the time, date, and location set forth below, so that the requesting party may inspect, measure, survey, photograph, test, or sample the property or any designated object or operation on it.				
PLACE			DATE AND TIME	
attached - Rule 45(c), rel	ating to the place of compliance	e; Rule 45(d), relati	bankruptcy cases by Fed. R. Bankr. P. 9016, are ting to your protection as a person subject to a s subpoena and the potential consequences of not	
Date: January 6, 2023				
	CLERK OF COURT			
		OB		
		OR /s/	Michael Aigen	
	Signature of Clerk or Deputy Co	lerk	Attorney's signature	

Notice to the person who issues or requests this subpoena

, who issues or requests this subpoena, are:

The name, address, email address, and telephone number of the attorney representing (name of party)

See Exhibit 1 attached hereto

See Exhibit 1 attached hereto

Michael Aigen

If this subpoena commands the production of documents, electronically stored information, or tangible things, or the inspection of premises before trial, a notice and a copy of this subpoena must be served on each party before it is served on the person to whom it is directed. Fed. R. Civ. P. 45(a)(4).

Case 21-03076-sgj Doc 289 Filed 02/03/23 Entered 02/03/23 11:37:54 Desc Main

Document Page 7 of 19

Case 21-03076-sgj Doc 244 Filed 01/06/23 Entered 01/06/23 17:23:43 Desc Main

B2570 (Form 2570 – Subpoena to Produce Documents, Informatique of Objects of To Persyl List Person Bankruptcy Case or Adversary Proceeding) (Page 2)

PROOF OF SERVICE

(This section should not be filed with the court unless required by Fed. R. Civ. P. 45.)

I received this subpoena for (name of individual and title, if a on (date)	my):			
I served the subpoena by delivering a copy to the named person as follows:				
on (date)	; or			
☐ I returned the subpoena unexecuted because:				
Unless the subpoena was issued on behalf of the United States witness the fees for one day's attendance, and the mileage allow My fees are \$ for travel and \$ for services.	owed by law, in the amount of \$			
I declare under penalty of perjury that this information	n is true and correct.			
Date:				
	Server's signature			
	Printed name and title			
	Server's address			

Additional information concerning attempted service, etc.:

RETURN / AFFIDAVIT PROOF / ATTACHED

Federal Rule of Civil Procedure 45(c), (d), (e), and (g) (Effective 12/1/13) (made applicable in bankruptcy cases by Rule 9016, Federal Rules of Bankruptcy Procedure)

(c) Place of compliance.

- (1) For a Trial, Hearing, or Deposition. A subpoena may command a person to attend a trial, hearing, or deposition only as follows:
- (A) within 100 miles of where the person resides, is employed, or regularly transacts business in person; or
- (B) within the state where the person resides, is employed, or regularly transacts business in person, if the person
 - (i) is a party or a party's officer; or
- (ii) is commanded to attend a trial and would not incur substantial expense.
- (2) For Other Discovery. A subpoena may command:
- (A) production of documents, or electronically stored information, or things at a place within 100 miles of where the person resides, is employed, or regularly transacts business in person; and
 - (B) inspection of premises, at the premises to be inspected.

(d) Protecting a Person Subject to a Subpoena; Enforcement.

(1) Avoiding Undue Burden or Expense: Sanctions. A party or attorney responsible for issuing and serving a subpoena must take reasonable steps to avoid imposing undue burden or expense on a person subject to the subpoena. The court for the district where compliance is required must enforce this duty and impose an appropriate sanction — which may include lost earnings and reasonable attorney's fees — on a party or attorney who fails to comply.

(2) Command to Produce Materials or Permit Inspection.

- (A) Appearance Not Required. A person commanded to produce documents, electronically stored information, or tangible things, or to permit the inspection of premises, need not appear in person at the place of production or inspection unless also commanded to appear for a deposition, hearing, or trial.
- (B) Objections. A person commanded to produce documents or tangible things or to permit inspection may serve on the party or attorney designated in the subpoena a written objection to inspecting, copying, testing or sampling any or all of the materials or to inspecting the premises or to producing electronically stored information in the form or forms requested. The objection must be served before the earlier of the time specified for compliance or 14 days after the subpoena is served. If an objection is made, the following rules apply:
- (i) At any time, on notice to the commanded person, the serving party may move the court for the district where compliance is required for an order compelling production or inspection.
- (ii) These acts may be required only as directed in the order, and the order must protect a person who is neither a party nor a party's officer from significant expense resulting from compliance.
- (3) Quashing or Modifying a Subpoena.
- (A) When Required. On timely motion, the court for the district where compliance is required must quash or modify a subpoena that:
 - (i) fails to allow a reasonable time to comply;
- (ii) requires a person to comply beyond the geographical limits specified in Rule 45(c);
- (iii) requires disclosure of privileged or other protected matter, if no exception or waiver applies; or
 - (iv) subjects a person to undue burden.
- (B) When Permitted. To protect a person subject to or affected by a subpoena, the court for the district where compliance is required may, on motion, quash or modify the subpoena if it requires:
- (i) disclosing a trade secret or other confidential research, development, or commercial information; or

- (ii) disclosing an unretained expert's opinion or information that does not describe specific occurrences in dispute and results from the expert's study that was not requested by a party.
- (C) Specifying Conditions as an Alternative. In the circumstances described in Rule 45(d)(3)(B), the court may, instead of quashing or modifying a subpoena, order appearance or production under specified conditions if the serving party:
- (i) shows a substantial need for the testimony or material that cannot be otherwise met without undue hardship; and
- (ii) ensures that the subpoenaed person will be reasonably compensated.

(e) Duties in Responding to a Subpoena.

- (1) Producing Documents or Electronically Stored Information. These procedures apply to producing documents or electronically stored information:
- (A) Documents. A person responding to a subpoena to produce documents must produce them as they are kept in the ordinary course of business or must organize and label them to correspond to the categories in the demand.
- (B) Form for Producing Electronically Stored Information Not Specified. If a subpoena does not specify a form for producing electronically stored information, the person responding must produce it in a form or forms in which it is ordinarily maintained or in a reasonably usable form or forms.
- (C) Electronically Stored Information Produced in Only One Form. The person responding need not produce the same electronically stored information in more than one form.
- (D) Inaccessible Electronically Stored Information. The person responding need not provide discovery of electronically stored information from sources that the person identifies as not reasonably accessible because of undue burden or cost. On motion to compel discovery or for a protective order, the person responding must show that the information is not reasonably accessible because of undue burden or cost. If that showing is made, the court may nonetheless order discovery from such sources if the requesting party shows good cause, considering the limitations of Rule 26(b)(2)(C). The court may specify conditions for the discovery.

(2) Claiming Privilege or Protection.

- (A) Information Withheld. A person withholding subpoenaed information under a claim that it is privileged or subject to protection as trial-preparation material must:
 - (i) expressly make the claim; and
- (ii) describe the nature of the withheld documents, communications, or tangible things in a manner that, without revealing information itself privileged or protected, will enable the parties to assess the claim.
- (B) Information Produced. If information produced in response to a subpoena is subject to a claim of privilege or of protection as trial-preparation material, the person making the claim may notify any party that received the information of the claim and the basis for it. After being notified, a party must promptly return, sequester, or destroy the specified information and any copies it has; must not use or disclose the information until the claim is resolved; must take reasonable steps to retrieve the information if the party disclosed it before being notified; and may promptly present the information under seal to the court for the district where compliance is required for a determination of the claim. The person who produced the information must preserve the information until the claim is resolved.
- (g) Contempt. The court for the district where compliance is required and also, after a motion is transferred, the issuing court may hold in contempt a person who, having been served, fails without adequate excuse to obey the subpoena or an order related to it

Case 21-03076-sgj Doc 289 Filed 02/03/23 Entered 02/03/23 11:37:54 Desc Main Document Page 9 of 19

Case 21-03076-sgj Doc 244 Filed 01/06/23 Entered 01/06/23 17:23:43 Desc Main Document Page 8 of 18

Attachment A

DEFINITIONS

The following definitions shall apply herein:

- 1. The terms "all," "any," and "each" shall each be construed as encompassing any and all. The connectives "and" and "or" shall be construed either disjunctively or conjunctively as necessary to bring within the scope of the discovery request all responses that might otherwise be construed to be outside of its scope. The use of the singular form of any word includes the plural and vice versa.
- 2. The term "document" is defined to be synonymous in meaning and equal scope to the usage of the term "documents or electronically stored information" in Fed. R. Civ. P. 34(a)(1)(A). A draft or non-identical copy is a separate document within the meaning of this term. "Document" shall be construed as a document and all attachments thereto.
- 3. The terms "including" and "includes" are used to provide examples of certain types of information and should not be construed as limiting a request in any way. The term "including" shall be construed as if followed by the phrase "but not limited to."
- 4. "HCMLP" means Highland Capital Management, L.P.
- 5. "Highland Bankruptcy" means In re Highland Capital Management L.P., Case No. 19-34054 (SGJ), pending in the United States Bankruptcy Court for the Northern District of Texas.
- 6. "Highland Party" means Highland Capital Management, L.P., any of its partners, general partners, subsidiaries, affiliates, managed or advised funds or accounts, employees, or professionals, including, but not limited to, Pachulski Stang Ziehl & Jones LLP, Development Specialists Inc., James Seery, Russell Nelms, and John Dubel.
- 7. "Highland Plan Party" means the Claimant Trust of and Litigation Sub-Trust created pursuant to the Fifth Amended and Restated Plan of Distribution of Highland Capital Management, L.P. and any of their respective trustees, directors, oversight board members, professionals, attorneys, and agents.
- 8. "Redeemer Committee" means the Redeemer Committee of the Highland Crusader Fund.
- 9. "UCC" means the Official Committee of Unsecured Creditors in the Highland Bankruptcy.
- 10. "UCC Party" means the Official Committee of Unsecured Creditors in the Highland Bankruptcy including each of its agents, members, and their respective agents. This specifically includes, but is not limited to, Sidley Austin LLP, FTI Consulting, Inc., any representative of Acis Capital Management, L.P., including Winstead, P.C. (including attorney Rakhee Patel), Forshey Prostok LLP (including attorney Jeff Prostok), Rogge

Case 21-03076-sgj Doc 289 Filed 02/03/23 Entered 02/03/23 11:37:54 Desc Main Document Page 10 of 19

Case 21-03076-sgj Doc 244 Filed 01/06/23 Entered 01/06/23 17:23:43 Desc Main Document Page 9 of 18

Dunn Group, PC (including attorney Brian Shaw), Carrington, Coleman, Sloman & Blumenthal, L.L.P. (including attorney Brian Shaw), The Redeemer Committee, Jenner & Block LLP (including attorney Terri Mascherin), GCM Grosvenor, Grosvenor Capital Management LP, Eric Felton, Burke Montgomery, Stuart Robertson, UBS AG London Branch and UBS Securities LLC, including its counsel Latham & Watkins LLP (including attorney Andrew Clubok), Meta-e Discovery, LLC, Paul McVoy, and Morrison Cohen LLP.

11. "You" means Sidley Austin LLP and its attorneys, partners, counsel, associate attorneys, and employees.

Case 21-03076-sgj Doc 289 Filed 02/03/23 Entered 02/03/23 11:37:54 Desc Main Case 21-03076-sgj Doc 244 Filed 01/06/23 Entered 01/06/23 17:23:43 Desc Main Document Page 10 of 18

PROPOSED PRODUCTION SPECIFICATIONS FOR

ELECTRONICALLY STORED INFORMATION ("ESI") AND HARD COPY DOCUMENTS

DOCUMENT CATEGORIES

1. Email, Attachments, and Other Electronic Messages

Email and other electronic messages (e.g., instant messages (IMs)) should be produced as image files with related searchable text, metadata and bibliographic information. Depending on how the company's systems represent names in email messages or IMs, we may require a table of names or contact lists from custodians. Electronic messages include, but are not limited to, messages sent via (a) Android/Google Messages, Blackberry Messenger, Discord, Facebook Messager, GroupMe, iMessage, IMO, KIK, Samsung Messaging, Signal, Skype, Telegram Viber, WeChat, WhatsApp, and any other short messaging service (SMS) application, and (b) any business messaging platforms including Bloomberg IM, Chanty, Google Chat, MS Teams, Rocket, Slack, Yammer and any other comparable application.

Email repositories, also known as email databases (e.g., Outlook .PST, Lotus .NSF), can contain a variety of items, including messages, calendars, contacts, tasks, etc. For purposes of production, responsive items should include the "Email" metadata/database fields outlined in the Metadata Table, including but not limited to all parent items (mail, calendar, contacts, tasks, notes, etc.) and child files (attachments of files to email or other items), with the parent/child relationship preserved. Similar items found and collected outside an email repository

(e.g., .MSG, .EML, .HTM, .MHT) should be produced in the same manner.

2. Electronic Documents

Electronic documents include word-processing documents, spreadsheets, presentations, and all other electronic documents not specifically discussed elsewhere. Production of these items should include image files with related searchable text, metadata, and bibliographic information. All passwords and encryption must be removed from electronic documents prior to production. Please note the following:

a. Presentations -- Presentations should be produced in full slide image format along with speaker notes (which should follow the full images of the slides) with related searchable text, metadata, and bibliographic information. Presentations should also be produced in native format (e.g., as .PPT files). The linked native file name should match the BEGDOC#/DOCID with the appropriate file extension.

Case 21-03076-sgj Doc 289 Filed 02/03/23 Entered 02/03/23 11:37:54 Desc Main Case 21-03076-sgj Doc 244 Filed 01/06/23 Entered 01/06/23 17:23:43 Desc Main Document Page 11 of 18

- b. Spreadsheet Files -- Spreadsheets should be produced in native format (e.g., as .XLSX files), with searchable text for the entire document, metadata, and bibliographic information. Provide a single placeholder image. The placeholder image must contain at a minimum the BEGDOC#, FILENAME, and FILEPATH. The Bates range for a spreadsheet should be a single number (e.g., ABC00000001 ABC00000001). The linked native file name should match the BEGDOC#/DOCID with the appropriate file extension.
- c. Hidden Files -- All hidden text (e.g., track changes, hidden columns, hidden slides, mark-ups, notes) shall be expanded and rendered in the extracted text file. For files that cannot be expanded linked native files shall be produced with the image files.
- d. Embedded Files -- All embedded objects (e.g., graphical files, Word documents, Excel spreadsheets, .wav files) that are found within a file shall be produced so as to maintain the integrity of the source document as a single document. For purposes of production the embedded files shall remain embedded as part of the original source document. Hyperlinked files must be produced as separate, attached documents. Any objects that cannot be rendered to images and extracted text (e.g., .wav, .avi files) must be produced as separate extracted files treated as attachments to the original file.
- e. Image-Only Files -- All image-only files (non-searchable .PDFs, multi-page TIFFs, Snipping Tool screenshots, etc., as well as all other images that contain text) shall be produced with associated OCR text, metadata, and bibliographic information.
- f. Archive File Types -- Archive file types (e.g., .zip, .rar) must be uncompressed for processing. Each file contained within an archive file should be produced as a child to the parent archive file. If the archive file is itself an attachment, that parent/child relationship must also be preserved.
- g. Non-Standard Files -- Non-standard electronic files include, but are not limited to, system files, source code, transactional data, database files, audio and video files, and proprietary applications not publicly available. Database files should be produced both in native format, where possible, and also exported and produced in .xlsx format. Upon request and demonstration of need, productions of these types of files will be negotiated between the parties to determine a reasonable production format. Note that some non-standard files may be included in the production as part of a native container file, such as ZIP or MSG files.

3. Hard-Copy (or Paper) Documents

Case 21-03076-sgj Doc 289 Filed 02/03/23 Entered 02/03/23 11:37:54 Desc Mair Case 21-03076-sgj Doc 244 Filed 01/06/23 Entered 01/06/23 17:23:43 Desc Main Document Page 12 of 18

Hard-copy documents are to be produced as black-and-white image files, except where noted below, with related searchable OCR text and bibliographic information. Special attention should be paid to ensure that hard-copy documents are produced as they are kept, reflecting attachment relationships between documents and information about the file folders within which each document is found. In addition, a multi-page document must be produced as a single document (i.e., properly unitized) and not multiple single-page documents. Where the original document is in color, that image should be produced in color. These color images are to be produced as .jpg format. Hard-copy photographs should be produced as color .jpg, if originally in color, or grayscale .tif files if originally in black-and-white.

4. Parent-Child Relationships

Ensure that the association of families (i.e., between emails and attachments are preserved.) Email attachments are consecutively produced with the parent email record.

PRODUCTION FORMAT

5. Bates/Numbering Format

- files are named according to the Bates number of the TIFF image or native.
- consistent across the production;
- contains no special characters; and
- is numerically sequential within a given document.
- attachments to documents are assigned Bates numbers that directly follow the Bates numbers on the documents to which they were attached.

6. Image/Native File Specifications

- Black-and-white Group IV Single-Page TIFFs (300 DPI). Color images should be provided in .JPG format for all native files containing color.
- Image file names should match the page identifier for that specific image and end with the .tif (or .jpg if needed) extension.
- File names cannot have embedded spaces, commas, underscores, ampersands, slashes, back slashes, hash marks, plus signs, percent signs, exclamation marks, any character used as a delimiter in the metadata load files, or any character not allowed in Windows file-naming convention. (, &\/# + %!: *?" <> | ~ @^)
- Images for a given document must reside together in the same folder.
- The maximum number of image and native files should be limited to 5,000 per folder.
- Native file names should match the BEGDOC#/DOCID entry for that

Case 21-03076-sgj Doc 289 Filed 02/03/23 Entered 02/03/23 11:37:54 Desc Main Case 21-03076-sgj Doc 244 Document Page 14 of 19 Entered 01/06/23 17:23:43 Desc Main Document Page 13 of 18

- specific record and end with the appropriate file extension.
- Any encryption or password protection will be removed from all native format files produced.

7. Searchable Text File Specifications

- Extracted text should be provided with all records, where available.
 - For hard copy documents, please provide OCR text.
 - For redacted documents, provide OCR text for the redacted version.
- There should be a single extracted/OCR text file per document, in ASCII Text format only.
- The name of the text file should be the same as the document's first page/Bates number, with a TXT extension: DOCID.TXT.
- There must be a carriage return and line feed (CRLF) no later than the 250th character of the first line of every text file.
- All soft and hard returns in the native electronic or image file should be replicated as a Carriage Return Line Feed (CRLF) in the text file (i.e. the lines of text in the file terminate with a CRLF in correlation with the appearance of the native electronic or rendered image file).
- Text files should include page breaks that correspond to the "pagination" of the image files.
- Place text files under a "FULLTEXT" folder and provide a Control List file for loading in the "LOADFILES" folder on the delivery media

8. Metadata Load File Delimiters (.dat)

- Field Separator ¶ (ASCII 020)
- Text Qualifier b (ASCII 254)
- Substitute Carriage Return or New Line in data ® (ASCII 174)
- Multi-value separator (Do Not Follow with Space); (ASCII 059)
- Date format MMDDYYY (date type fields only)
- Time format HH:MM:SS in 24-hour format (e.g., 04:32 pm formatted to 16:32:00 – Do not include AM, PM, or Timezone indicators). All times should be normalized to the UTC time standard.
- There should be one line for every record in the load file. A carriage return and line feed (CRLF) must appear at the end of each record and only at the end of each record.
- The first row of each metadata load file should be a header row containing the field names. Field names must match Division Metadata Table field names.
- All requested fields should be present in the metadata load file whether data exists or not. Field order must remain consistent in subsequent productions.

9. Opticon Image Load File (.opt)

Case 21-03076-sgj Doc 289 Filed 02/03/23 Entered 02/03/23 11:37:54 Desc Main Case 21-03076-sgj Doc 244 Filed 01/06/23 Entered 01/06/23 17:23:43 Desc Main Document Page 14 of 18

- ImageFilePath The path to the image from the root of the delivery media.
- DocumentBreak The letter "Y" denotes the first page of a document. If this field is blank the page is not the first page of a document.
- PageCount Optional
- Example ABC00000001, ABC001,.\Images\001\ ABC00000001.tif,Y,,,

10. Standard Field List

FieldName	Field Name Description
BEGBATES	Unique beginning document or production number
ENDBATES	Ending document or production number
BEGATTACH	Displays BEGBATES # of parent record.
ENDATTACH	ENDBATES # of last attached document in a family.
ATTACHRANGE	Stores BegBates # of parent record and EndDoc# of last attachment
Is Parent	Yes/No field; Identifies parent document (only need to populate yes for parent documents)
PARENT ID	The first document/bates number for each parent record; populated only for attachments
CHILD ID	First document/bates number of each attachment, separated by semicolons.
Attach	Populates parent records with original filenames of all attached records, separated by semi-colons
NUMATTACH	Total number of records attached to the document
CUSTODIAN	Source or Owner of Data
ALL CUSTODIAN	A list of all the owners of the documents (separated by semi-colons)
EMAILTO	Main recipient(s) of the email message
EMAILFROM	Author of email message
EMAILCC	Recipient(s) of "Carbon copies" of the email message
EMAILBCC	Recipient(s) of "Blind Carbon copies" of the email message
EMAILSUBJECT	Subject of email message
DATETIMESENT	Sent date and time of an email message using this format DD/MM/YYYY HH:MM (using 24 hour clock)
DATETIMERECEIVED	Received date and time of an email message using this format DD/MM/YYYY HH:MM (using 24 hour clock)
DATETIMECREATED	Creation date and time of the native file using this format DD/MM/YYYY HH:MM (using 24 hour clock)
DATECREATED	Creation date of the native file
TIMECREATED	Creation time of the native file
DATETIMEMODIFIED	Date and time of the native file was last modified using this format DD/MM/YYYY HH:MM (using 24 hour clock)
LASTAUTHOR	Last author who modified the document

Parent Date is populated for all family members (If e-mail "DATESENT," if loose "DATEMODIFIED" Original filename of native file. Contains subject of email message for email records. DOCEXT File extension of native file. Author field value pulled from metadata of the native file file FILERECORDTYPE I.E. "e-jail" or "E-mail attachment" or "Loose File" File Size size of the file (KB) DocumentSubject Number of pages in a document (image records) Comments Comments Comments field value pulled from the metadata of the native file native file. White file Comments file types as listed in file type database MD5HASH TIME ZONE Time zone processed (note all times should be normalized to the UTC time standard) ORIGINAL FOLDER PATH Alist of all the native file paths to the document as it was kept in the ordinary course of business (including documents, produce all versions of such document with unique metadata, including native file path. Title field value extracted from the metadata of the native file paths for deduplicated documents, produce all versions of such document with unique metadata, including native file path. Title field value extracted from the metadata of the native file (includes document title and/or title of the file) Conversation Normalized subject of e-mails Conversation Index Email thread identification DateAppStart Appointment start date for calendar items DateAppEnd Appointment start date for calendar items DelivReceipt Delivery receipt request notification Yes/No field for identifying family members which are embedded Importance Importance Importance field extracted from email message ReadReceipt Read receipt request notification for email message ReadReceipt Read receipt request notification for email message ReadReceipt Links text files NATIVE PATH Links native files		
FILENAME DOCEXT File extension of native file. Author field value pulled from metadata of the native file file. Exe. "e-jail" or "E-mail attachment" or "Loose File" File Size Size of the file (KB) Loose Files: Subject field value extracted from metadata of native field. PGCOUNT Number of pages in a document (image records) Comments Comments field value pulled from the metadata of the native file file. EntryID Unique identifier of emails in mail stores Description of native file types as listed in file type database MDSHASH TIME ZONE Time zone processed (note all times should be normalized to the UTC time standard) ORIGINAL FOLDER PATH ALLPATHS ALLPATHS ALLPATHS ALLPATHS Alist of all the native file paths to the document as it was kept in the ordinary course of business (including documents removed through deduplication). To the extent you are unable to provide native file paths for deduplicated documents, produce all versions of such document with unique metadata, including native file path. Title field value extracted from the metadata of the native file (includes document title and/or title of the file) Conversation Index DateAppStart Appointment start date for calendar items DateAppEnd Appointment start date for calendar items Delivereceipt Delivery receipt request notification Yes/No field; Identifies if the document contains hidden content Yes/No field for identifying family members which are embedded Importance Importance Importance lend extracted from an email message Read receipt request notification for email message Revision Revision number extracted from email message Revision number extracted from email and of native file embedded Links text files Multiple Choice filed, include all terms document hits OCR PATH Links text files	DATESORT	
AUTHOR Author field value pulled from metadata of the native file FILERECORDTYPE I.E. "e-jail" or "E-mail attachment" or "Loose File" File Size Size of the file (KB) Loose Files: Subject field value extracted from metadata of native filed. Number of pages in a document (image records) Comments Comments Comments Comments Comments Comments Description Indicate the UTC time standard) ORIGINAL FOLDER PATH ALLPATHS AL	FILENAME	
FILERECORDTYPE File Size Size of the file (KB) Loose Files: Subject field value extracted from metadata of native filed. Number of pages in a document (image records) Comments Comments field value pulled from the metadata of the native file EntryID Unique identifier of emails in mail stores Description of native file types as listed in file type database MD5HASH TIME ZONE Time zone processed (note all times should be normalized to the UTC time standard) ORIGINAL FOLDER PATH A list of all the native file paths to the document as it was kept in the ordinary course of business (including documents removed through deduplication). To the extent you are unable to provide native file paths for deduplicated documents produce all versions of such document with unique metadata, including native file path. Title field value extracted from the metadata of the native file (includes document title and/or title of the file) Conversation Index Email thread identification DateAppEnd Appointment start date for calendar items DelivReceipt Delivery receipt request notification Yes/No field; Identifies if the document memasage ReadReceipt Read receipt request notification for email message Revision Revision number extracted from memal message Revision number extracted from email message Revision number extracted from email message SEARCH HITS Multiple Choice filed, include all terms document hits OCR PATH Links text files	DOCEXT	File extension of native file.
FILERECORDTYPE File Size size of the file (KB) Loose Files: Subject field value extracted from metadata of native field. Number of pages in a document (image records) Comments Comments Comments Comments EntryID Unique identifier of emails in mail stores Description of native file types as listed in file type database MD5HASH TIME ZONE Time zone processed (note all times should be normalized to the UTC time standard) ORIGINAL FOLDER PATH Allst of all the native file paths to the document as it was kept in the ordinary course of business (including documents removed through deduplication). To the extent you are unable to provide native file paths for deduplicated documents, produce all versions of such document with unique metadata, including native file path. Title field value extracted from the metadata of the native file (includes document title and/or title of the file) Conversation Normalized subject of e-mails DeteAppEtart Appointment start date for calendar items DateAppEnd Appointment start date for calendar items DelivReceipt Delivery receipt request notification Yes/No field, Identifies if the document metadata of native file patheded Importance Importance filed extracted from menal message ReadReceipt Read receipt request notification for email message Revision Revision number extracted from email message SEARCH HITS Multiple Choice filed, include all terms document hits OCR PATH Links text files	AUTHOR	Author field value pulled from metadata of the native file
Loose Files: Subject field value extracted from metadata of native field. PGCOUNT Number of pages in a document (image records) Comments field value pulled from the metadata of the native file EntryID Unique identifier of emails in mail stores Description of native file types as listed in file type database MDSHASH MDSHASH TIME ZONE Time zone processed (note all times should be normalized to the UTC time standard) ORIGINAL FOLDER PATH ALLPATHS ALLPATHS ALLPATHS ALLPATHS It was kept in the ordinary course of business (including documents removed through deduplication). To the extent you are unable to provide native file paths for deduplicated documents, produce all versions of such document with unique metadata, including native file path. Title field value extracted from the metadata of the native file (includes document title and/or title of the file) Conversation Normalized subject of e-mails Conversation Index DateAppEnd Appointment start date for calendar items DateAppEnd Appointment end date for calendar items DelivReceipt Delivery receipt request notification Yes/No field; Identifies if the document contains hidden content Yes/No field for identifying family members which are embedded Importance Importance lield extracted from an email message ReadReceipt Read receipt request notification for email message ReadReceipt Read receipt request notification for email message Revision number extracted from metadata of native file Sensitivity Sensitivity field extracted from email messages SEARCH HITS Multiple Choice filed, include all terms document hits	FILERECORDTYPE	
DocumentSubject Number of pages in a document (image records) Comments Comments field value pulled from the metadata of the native file EntryID Unique identifier of emails in mail stores Description of native file types as listed in file type database MD5HASH MD5HASH TIME ZONE Time zone processed (note all times should be normalized to the UTC time standard) ORIGINAL FOLDER PATH A list of all the native file paths to the document as it was kept in the ordinary course of business (including documents removed through deduplication). To the extent you are unable to provide native file paths for deduplicated documents, produce all versions of such document with unique metadata, including native file path. Title field value extracted from the metadata of the native file (includes document title and/or title of the file) Conversation Normalized subject of e-mails Conversation Index Email thread identification DateAppEnd Appointment start date for calendar items Deliver receipt request notification Yes/No field; Identifies if the document contains hidden content Yes/No field for identifying family members which are embedded Importance Importance field extracted from metadata of native file Sensitivity Sensitivity field extracted from email message Revision Revision number extracted from email message SEARCH HITS Multiple Choice filed, include all terms document hits OCR PATH Links text files	File Size	size of the file (KB)
PGCOUNT Number of pages in a document (image records) Comments Comments field value pulled from the metadata of the native file Unique identifier of emails in mail stores Description of native file types as listed in file type database MD5HASH TIME ZONE Time zone processed (note all times should be normalized to the UTC time standard) ORIGINAL FOLDER PATH ALLPATHS ALLPATHS ALLPATHS ALLPATHS ALLPATHS I the ordinary course of business (including documents removed through deduplication). To the extent you are unable to provide native file paths for deduplicated documents, produce all versions of such document with unique metadata, including native file path. Title field value extracted from the metadata of the native file (includes document title and/or title of the file) Normalized subject of e-mails Conversation DateAppStart Appointment start date for calendar items DateAppEnd Appointment and date for calendar items DelivReceipt Delivery receipt request notification Yes/No field; Identifies if the document contains hidden content Yes/No field for identifying family members which are embedded Importance Read receipt request notification for email message Revision Revision number extracted from metadata of native file Sensitivity Sensitivity field extracted from email messages SEARCH HITS Multiple Choice filed, include all terms document hits OCR PATH Links text files	DocumentSubject	
Comments Comments field value pulled from the metadata of the native file Unique identifier of emails in mail stores Description of native file types as listed in file type database MD5HASH TIME ZONE Time zone processed (note all times should be normalized to the UTC time standard) ORIGINAL FOLDER PATH ALLPATHS ALLPATHS ALLPATHS ALLPATHS It is of all the native file paths to the document as it was kept in the ordinary course of business (including documents removed through deduplication). To the extent you are unable to provide native file paths for deduplicated documents, produce all versions of such document with unique metadata, including native file path. Title field value extracted from the metadata of the native file (includes document title and/or title of the file) Conversation Normalized subject of e-mails Conversation Index Email thread identification DateAppEnd Appointment start date for calendar items DateAppEnd Appointment end date for calendar items DelivReceipt Delivery receipt request notification Yes/No field; Identifies if the document contains hidden content Yes/No field for identifying family members which are embedded Importance Read receipt request notification for email message Revision Revision number extracted from metadata of native file Sensitivity Sensitivity field extracted from email messages SEARCH HITS Multiple Choice filed, include all terms document hits OCR PATH Links text files		
EntryID Unique identifier of emails in mail stores Description of native file types as listed in file type database MD5HASH MD5HASH TIME ZONE Time zone processed (note all times should be normalized to the UTC time standard) ORIGINAL FOLDER Fully qualified original path to the source folder, files, and/or mail stores ALLPATHS Alist of all the native file paths to the document as it was kept in the ordinary course of business (including documents removed through deduplication). To the extent you are unable to provide native file paths for deduplicated documents, produce all versions of such document with unique metadata, including native file path. Title field value extracted from the metadata of the native file (includes document title and/or title of the file) Conversation Normalized subject of e-mails Conversation Index Email thread identification DateAppStart Appointment start date for calendar items DateAppEnd Appointment end date for calendar items DelivReceipt Delivery receipt request notification Yes/No field; Identifies if the document contains hidden content Yes/No field for identifying family members which are embedded Importance Importance field extracted from an email message ReadReceipt Read receipt request notification for email message Revision Revision number extracted from metadata of native file Sensitivity Sensitivity field extracted from email messages SEARCH HITS Multiple Choice filed, include all terms document hits OCR PATH Links text files		Comments field value pulled from the metadata of the
PileDescription MD5HASH TIME ZONE Time zone processed (note all times should be normalized to the UTC time standard) PATH ALLPATHS ALLPATHS ALLPATHS ALLPATHS Title gill the native file paths to the document as it was kept in the ordinary course of business (including documents removed through deduplication). To the extent you are unable to provide native file paths for deduplicated documents, produce all versions of such document with unique metadata, including native file path. Title field value extracted from the metadata of the native file (includes document title and/or title of the file) Conversation Normalized subject of e-mails Conversation Index DateAppStart Appointment start date for calendar items DelivReceipt Delivery receipt request notification Yes/No field; Identifies if the document contains hidden content Yes/No field for identifying family members which are embedded Importance Read receipt request notification for email message ReadReceipt Read receipt request notification for email message Revision Revision number extracted from metadata of native file Sensitivity Sensitivity field extracted from email messages SEARCH HITS Multiple Choice filed, include all terms document hits OCR PATH Links text files		
FileDescription MD5HASH TIME ZONE Time zone processed (note all times should be normalized to the UTC time standard) ORIGINAL FOLDER PATH ALLPATHS ALL		· · · · · · · · · · · · · · · · · · ·
Time Zone Time zone processed (note all times should be normalized to the UTC time standard) ORIGINAL FOLDER PATH A list of all the native file paths to the document as it was kept in the ordinary course of business (including documents removed through deduplication). To the extent you are unable to provide native file paths for deduplicated documents, produce all versions of such document with unique metadata, including native file path. Title field value extracted from the metadata of the native file (includes document title and/or title of the file) Conversation Normalized subject of e-mails Conversation Index Email thread identification DateAppStart Appointment start date for calendar items DateAppEnd Appointment end date for calendar items DelivReceipt Delivery receipt request notification Yes/No field; Identifies if the document contains hidden content Yes/No field for identifying family members which are embedded Importance Importance field extracted from an email message ReadReceipt Read receipt request notification for email message Revision Revision number extracted from metadata of native file Sensitivity Sensitivity field extracted from email messages SEARCH HITS Multiple Choice filed, include all terms document hits OCR PATH Links text files	FileDescription	
the UTC time standard) ORIGINAL FOLDER PATH Fully qualified original path to the source folder, files, and/or mail stores A list of all the native file paths to the document as it was kept in the ordinary course of business (including documents removed through deduplication). To the extent you are unable to provide native file paths for deduplicated documents, produce all versions of such document with unique metadata, including native file path. Title field value extracted from the metadata of the native file (includes document title and/or title of the file) Conversation Normalized subject of e-mails Conversation Index Email thread identification DateAppStart Appointment start date for calendar items DateAppEnd Appointment end date for calendar items DelivReceipt Delivery receipt request notification Yes/No field; Identifies if the document contains hidden content Yes/No field for identifying family members which are embedded Importance Importance Importance field extracted from an email message ReadReceipt Read receipt request notification for email message Revision Revision number extracted from metadata of native file Sensitivity Sensitivity field extracted from email messages SEARCH HITS Multiple Choice filed, include all terms document hits OCR PATH Links text files	MD5HASH	MD5HASH
ORIGINAL FOLDER PATH Fully qualified original path to the source folder, files, and/or mail stores A list of all the native file paths to the document as it was kept in the ordinary course of business (including documents removed through deduplication). To the extent you are unable to provide native file paths for deduplicated documents, produce all versions of such document with unique metadata, including native file path. Title field value extracted from the metadata of the native file (includes document title and/or title of the file) Conversation Normalized subject of e-mails Conversation Index Email thread identification DateAppStart Appointment start date for calendar items DateAppEnd Appointment end date for calendar items DelivReceipt Delivery receipt request notification Yes/No field; Identifies if the document contains hidden content Yes/No field for identifying family members which are embedded Importance Importance led extracted from an email message Read receipt request notification for email message Revision Revision number extracted from metadata of native file Sensitivity Sensitivity field extracted from email messages SEARCH HITS Multiple Choice filed, include all terms document hits OCR PATH Links text files	TIME ZONE	Time zone processed (note all times should be normalized to the UTC time standard)
A list of all the native file paths to the document as it was kept in the ordinary course of business (including documents removed through deduplication). To the extent you are unable to provide native file paths for deduplicated documents, produce all versions of such document with unique metadata, including native file path. Title field value extracted from the metadata of the native file (includes document title and/or title of the file) Conversation Normalized subject of e-mails Conversation Index Email thread identification DateAppStart Appointment start date for calendar items DateAppEnd Appointment end date for calendar items DelivReceipt Delivery receipt request notification Yes/No field; Identifies if the document contains hidden content Yes/No field for identifying family members which are embedded Importance Importance Importance field extracted from an email message ReadReceipt Read receipt request notification for email message Revision Revision number extracted from metadata of native file Sensitivity Sensitivity field extracted from email messages SEARCH HITS Multiple Choice filed, include all terms document hits OCR PATH Links text files		
TITLE file (includes document title and/or title of the file) Conversation Normalized subject of e-mails Conversation Index Email thread identification DateAppStart Appointment start date for calendar items DateAppEnd Appointment end date for calendar items DelivReceipt Delivery receipt request notification Yes/No field; Identifies if the document contains hidden content Yes/No field for identifying family members which are embedded Importance Importance field extracted from an email message ReadReceipt Read receipt request notification for email message Revision Revision number extracted from metadata of native file Sensitivity Sensitivity field extracted from email messages SEARCH HITS Multiple Choice filed, include all terms document hits OCR PATH Links text files		A list of all the native file paths to the document as it was kept in the ordinary course of business (including documents removed through deduplication). To the extent you are unable to provide native file paths for deduplicated documents, produce all versions of such document
Conversation Normalized subject of e-mails Conversation Index Email thread identification DateAppStart Appointment start date for calendar items DateAppEnd Appointment end date for calendar items DelivReceipt Delivery receipt request notification Yes/No field; Identifies if the document contains hidden content Yes/No field for identifying family members which are embedded Importance Importance field extracted from an email message ReadReceipt Read receipt request notification for email message Revision Revision number extracted from metadata of native file Sensitivity Sensitivity field extracted from email messages SEARCH HITS Multiple Choice filed, include all terms document hits OCR PATH Links text files	TITLE	
DateAppEnd Appointment start date for calendar items DateAppEnd Appointment end date for calendar items DelivReceipt Delivery receipt request notification Yes/No field; Identifies if the document contains hidden content Yes/No field for identifying family members which are embedded Importance Importance field extracted from an email message ReadReceipt Read receipt request notification for email message Revision Revision number extracted from metadata of native file Sensitivity Sensitivity field extracted from email messages SEARCH HITS Multiple Choice filed, include all terms document hits OCR PATH Links text files	Conversation	
DateAppEnd Appointment end date for calendar items DelivReceipt Delivery receipt request notification Yes/No field; Identifies if the document contains hidden content Yes/No field for identifying family members which are embedded Importance Importance field extracted from an email message ReadReceipt Read receipt request notification for email message Revision Revision number extracted from metadata of native file Sensitivity Sensitivity field extracted from email messages SEARCH HITS Multiple Choice filed, include all terms document hits OCR PATH Links text files	Conversation Index	Email thread identification
Delivery receipt request notification Yes/No field; Identifies if the document contains hidden content Yes/No field for identifying family members which are embedded Importance Importance field extracted from an email message ReadReceipt Read receipt request notification for email message Revision Revision number extracted from metadata of native file Sensitivity Sensitivity field extracted from email messages SEARCH HITS Multiple Choice filed, include all terms document hits OCR PATH Links text files	DateAppStart	Appointment start date for calendar items
Yes/No field; Identifies if the document contains hidden content Yes/No field for identifying family members which are embedded Importance Importance field extracted from an email message ReadReceipt Read receipt request notification for email message Revision Revision number extracted from metadata of native file Sensitivity Sensitivity field extracted from email messages SEARCH HITS Multiple Choice filed, include all terms document hits OCR PATH Links text files	DateAppEnd	Appointment end date for calendar items
Yes/No field; Identifies if the document contains hidden content Yes/No field for identifying family members which are embedded Importance Importance field extracted from an email message ReadReceipt Read receipt request notification for email message Revision Revision number extracted from metadata of native file Sensitivity Sensitivity field extracted from email messages SEARCH HITS Multiple Choice filed, include all terms document hits OCR PATH Links text files	DelivReceipt	Delivery receipt request notification
ISEMBEDDED embedded Importance Importance field extracted from an email message ReadReceipt Read receipt request notification for email message Revision Revision number extracted from metadata of native file Sensitivity Sensitivity field extracted from email messages SEARCH HITS Multiple Choice filed, include all terms document hits OCR PATH Links text files	•	Yes/No field; Identifies if the document contains hidden
ReadReceipt Read receipt request notification for email message Revision Revision number extracted from metadata of native file Sensitivity Sensitivity field extracted from email messages SEARCH HITS Multiple Choice filed, include all terms document hits OCR PATH Links text files	ISEMBEDDED	
Revision Revision number extracted from metadata of native file Sensitivity Sensitivity field extracted from email messages SEARCH HITS Multiple Choice filed, include all terms document hits OCR PATH Links text files	Importance	Importance field extracted from an email message
Sensitivity Sensitivity field extracted from email messages SEARCH HITS Multiple Choice filed, include all terms document hits OCR PATH Links text files	ReadReceipt	Read receipt request notification for email message
SEARCH HITS Multiple Choice filed, include all terms document hits OCR PATH Links text files	Revision	Revision number extracted from metadata of native file
SEARCH HITS Multiple Choice filed, include all terms document hits OCR PATH Links text files	Sensitivity	Sensitivity field extracted from email messages
OCR PATH Links text files		
NATIVE PATH Links native files	OCR PATH	Links text files
	NATIVE PATH	Links native files

Case 21-03076-sgj Doc 289 Filed 02/03/23 Entered 02/03/23 11:37:54 Desc Main Case 21-03076-sgj Doc 244 Filed 01/06/23 Entered 01/06/23 17:23:43 Desc Main Document Page 16 of 18

REQUESTED DOCUMENTS

- All documents and communications exchanged between any Highland Party and any UCC Party.
- 2. All non-privileged documents and communications by and amongst any UCC Party relating to the Highland Bankruptcy, including any communications reflecting any business deliberations, votes, decisions, or resolutions of the UCC.
- 3. All documents and communications on any UCC Party and any Highland Plan Party, other than those documents solely arising out of Your capacity as retained counsel for Marc Kirschner and the Litigation Sub-Trust.
- 4. All documents and communications relating to any negotiation or settlement of Proof of Claim Nos. 23, 72, 143, 147, 149, 150, 153, 154, 159, 190, or 191 filed in the Highland Bankruptcy.
- 5. All documents and communications relating to the sale of Proof of Claim Nos. 23, 72, 143, 147, 149, 150, 153, 154, 159, 190, or 191 filed in the Highland Bankruptcy.
- All communications on any personal device, including any text messages and emails, between You and James Dondero, Scott Ellington, Isaac Leventon, or any other current or former employee of HCMLP.
- 7. All communications on any personal device, including any text messages and emails, between You and any Highland Party.
- 8. All communications on any personal device, including any text messages and emails, between You and any Highland Plan Party, other than those communications made solely in your capacity as retained counsel for Marc Kirschner and the Litigation Sub-Trust.

Case 21-03076-sgj Doc 289 Filed 02/03/23 Entered 02/03/23 11:37:54 Desc Main Case 21-03076-sgj Doc 244 Document Page 18 of 19 Entered 01/06/23 17:23:43 Desc Main Document Page 17 of 18

Exhibit 1

The name, address, email address, and telephone number of the attorneys representing the parties who issue or request this subpoena are:

By: /s/ Michael P. Aigen

Michael P. Aigen State Bar No. 24012196 Deborah R. Deitsch-Perez State Bar No. 24036072 Stinson LLP 2200 Ross Avenue, Suite 2900 Dallas, TX 75201 Telephone: 214-560-2201

deborah.deitschperez@stinson.com michael.aigen@stinson.com

Counsel to NexPoint Advisors, L.P., and Highland Capital Management Fund Advisors, L.P.

By: /s/ Louis M. Phillips_

Louis M. Phillips
Kelly Hart Pitre
One American Place
301 Main Street, Suite 1600
Baton Rouge, LA 70801
Telephone: 225-381-9643
louisphillips@kellyhart.com

and

Amelia L. Hurt (LA #36817, TX #24092553) 400 Poydras Street, Suite 1812 New Orleans, LA 70130 Telephone: (504) 522-1812 amelia.hurt@kellyhart.com

and

Case 21-03076-sgj Doc 289 Filed 02/03/23 Entered 02/03/23 11:37:54 Desc Main Case 21-03076-sgj Doc 244 Document Page 19 of 19 Document Page 18 of 18

Hugh G. Connor II
State Bar No. 00787272
Michael D. Anderson
State Bar No. 24031699
Katherine T. Hopkins
State Bar No. 24070737
KELLY HART & HALLMAN
201 Main Street, Suite 2500
Fort Worth, TX 76102
Telephone: (817) 332-2500
hugh.connor@kellyhart.com
michael.anderson@kellyhart.com
katherine.hopkins@kellyhart.com

Counsel to CLO Holdco, Ltd., Highland Dallas Foundation, Charitable DAF Fund, LP, and Charitable DAF Holdco, Ltd